

## AA SCREENING DETERMINATION

Of

### Fardystown Pipeline, Wexford

In accordance with Article 6(3) of the EU Habitats Directive (Directive 92/43/EEC) and Regulation 42(1) of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended, Uisce Éireann has undertaken Appropriate Assessment screening to assess, in view of best scientific knowledge and the conservation objectives of the site, if the project, individually or in combination with other plans or projects is likely to have a significant effect on European Site(s).

The objective of the project is to supplement the potable water supply in Wexford and surrounding towns. The scope of work includes the laying of approximately 3.5km of pipeline. The new pipeline will run along the L3045 and local roads around Mayglass, Co. Wexford.

In this context, particular attention was paid to the European Sites listed below:


- Ballyteige Burrow SAC (000696)
- Ballyteige Burrow SPA (004020)

In accordance with Regulation 42(7) of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended, **Uisce Éireann has made a determination following screening that an Appropriate Assessment is not required** as the project is not directly connected with or necessary to the management of the sites as European site(s) and **as it can be excluded**, on the basis of objective information and in light of the conservation objectives of the relevant European Site(s), **that the project, individually or in combination with other plans and projects, would have a significant effect on a European Site.**

This determination is based on the nature, location, scale and duration of the proposed works, including any temporary works and excludes any consideration of mitigation measures.

Full records of the assessment, reports, surveys, consultations, and observations are held by the competent authority and available for public review as requested.

Signed:



---

**JOHN CASEY**

**CHIEF TECHNICAL ADVISOR**

**DATE: 11/03/2024**