

Crook

AA SCREENING DETERMINATION

Of

Crookhaven Impoundment Water Scarcity Management, Co. Cork



In accordance with Article 6(3) of the EU Habitats Directive (Directive 92/43/EEC) and Regulation 42(1) of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended, Irish Water has undertaken Appropriate Assessment screening to assess, in view of best scientific knowledge and the conservation objectives of the site, if the project, individually or in combination with other plans or projects is likely to have a significant effect on European Site(s).

Due to a decrease in water levels within Crookhaven impoundment, deposited sediments in the vicinity of the intake have disconnected the existing area of water from the intake. In order to maintain water supply from Crookhaven impoundment, a short and shallow channel within the impoundment was re-established by personnel on foot using shovels. All materials were retained within the riparian margins of the impoundment.

In this context, particular attention was paid to the European Site(s) listed below:

- *Barley Cove to Ballyrisode Point SAC (001040)*
- *Sheep's Head to Toe Head SPA (004156)*

In accordance with Regulation 42(7) of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended, **Irish Water has made a determination following screening that an Appropriate Assessment is not required** as the project is not directly connected with or necessary to the management of the sites as European site(s) and **as it can be excluded**, on the basis of objective information and in light of the conservation objectives of the relevant European Site(s), **that the project, individually or in combination with other plans and projects, would have a significant effect on a European Site.**

This determination is based on the nature, location, scale and duration of the proposed works, including any temporary works and excludes any consideration of mitigation measures.

Full records of the assessment, reports, surveys, consultations, and observations are held by the competent authority and available for public review as requested.

Signed:

A handwritten signature in blue ink, appearing to be 'John Casey', written on a light-colored background.

JOHN CASEY

CHIEF TECHNICAL ADVISOR

DATE: 2nd September 2022